Phenolphthalein, 1% in 95% Ethanol



Section 1

Product Description

Product Name: Phenolphthalein, 1% in 95% Ethanol **Recommended Use:** Science education applications

Synonyms: Phenolphthalein solution, Alcoholic, Phenophthalein pH Indicator

Distributor: Carolina Biological Supply Company 2700 York Road, Burlington, NC 27215

1-800-227-1150

Chemical Information: 800-227-1150 (8am-5pm (ET) M-F)

Chemtrec: 800-424-9300 (Transportation Spill Response 24 hours)

Section 2

Hazard Identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

DANGER







Highly flammable liquid and vapor. Toxic in contact with skin. Suspected of causing genetic defects. May cause cancer. Suspected of damaging fertility or the unborn child. May cause damage to organs.

GHS Classification:

Carcinogenicity Category 1B, Flammable Liquid Category 2, Germ Cell Mutagenicity Category 2, Reproductive Toxicity Category 2, Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 2, Acute Toxicity - Dermal Category 3

Other Safety Precautions: IF exposed or concerned: Get medical advice/attention.

IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.

Section 3 Composition / Information on Ingredients

| Chemical Name | CAS# | <u>%</u> |
|-----------------|-----------|----------|
| Ethanol | 64-17-5 | 85.12 |
| Water | 7732-18-5 | 4.95 |
| 2-Propanol | 67-63-0 | 4.7 |
| Methanol | 67-56-1 | 4.23 |
| Phenolphthalein | 77-09-8 | 1 |

Section 4

First Aid Measures

Emergency and First Aid Procedures

Inhalation: In case of accident by inhalation: remove casualty to fresh air and keep at rest.

Eyes: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Skin Contact: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF ON SKIN: Wash with plenty of soap and water. Remove/Take off immediately all

contaminated clothing. Wash contaminated clothing before reuse.

Ingestion: If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Section 5

Firefighting Procedures

Extinguishing Media: Use media suitable to extinguish surrounding fire.

Fire Fighting Methods and Protection: Firefighters should wear full protective equipment and NIOSH approved self-contained

breathing apparatus.

Fire and/or Explosion Hazards: Vapors may travel back to ignition source. Closed Containers exposed to heat may

explode.

Hazardous Combustion Products: Carbon dioxide, Carbon monoxide

Section 6

Spill or Leak Procedures

Steps to Take in Case Material Is Released or Spilled:

No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section 8 of this (M)SDS Exposure to the spilled material may be irritating or harmful. Follow personal protective equipment recommendations found in Section 8 of this SDS. Additional precautions may be necessary based on special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred. Also consider the expertise of employees in the area responding to the spill. Ventilate the contaminated area. Evaporation of volatile substances can lead to the displacement of air creating an environment that can cause asphyxiation. Isolate area. Keep unnecessary personnel away.

Ventilate the area by opening door and/or turning on fans and blowers. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container.

Section 7

Handling and Storage

Handling: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/.../

equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do no eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. Use personal protective

equipment as required.

Storage: Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Keep container tightly

closed in a cool, well-ventilated place.

Storage Code: Red - Flammables. Store in approved flammable containers. Store away from oxidizing materials.

Section 8

Protection Information

| | ACC | OSHA PEL | | |
|-----------------|--------------|---------------|------------------|--------|
| Chemical Name | <u>(TWA)</u> | (STEL) | <u>(TWA)</u> | (STEL) |
| Ethanol | N/A | 1000 ppm STEL | 1000 ppm TWA; | N/A |
| | | | 1900 mg/m3 TWA | |
| 2-Propanol | 200 ppm TWA | 400 ppm STEL | 400 ppm TWA; 980 | N/A |
| | | | mg/m3 TWA | |
| Methanol | 200 ppm TWA | 250 ppm STEL | 200 ppm TWA; 260 | N/A |
| | | | mg/m3 TWA | |
| Phenolphthalein | N/A | N/A | N/A | N/A |

Control Parameters

Engineering Measures: Local exhaust ventilation or other engineering controls are normally required when

handling or using this product to avoid overexposure.

Personal Protective Equipment (PPE): Lab coat, apr

Respiratory Protection:

Lab coat, apron, eye wash, safety shower.

No respiratory protection required under normal conditions of use. Provide general room exhaust ventilation if symptoms of overexposure occur as explained Section 11. A

respirator is not normally required.

Respirator Type(s): None required where adequate ventilation is provided. If airborne concentrations are

above the applicable exposure limits, use NIOSH/MSHA approved respiratory protection. Wear chemical splash goggles when handling this product. Have an eye wash station

available.

Skin Protection: Wear protective gloves. Inspect gloves for chemical break-through and replace at regular

intervals. Clean protective equipment regularly. Wash hands and other exposed areas

with mild soap and water before eating, drinking, and when leaving work

Gloves: Nitrile

Section 9

Eye Protection:

Physical Data

Formula: See Section 3

Molecular Weight: No data available Appearance: Colorless Liquid Odor: Moderate Alcohol Odor Vapor Pressure: 40 mmHg at 20 °C Evaporation Rate (BuAc=1): 1.70 Vapor Density (Air=1): 1.5 Specific Gravity: .815 at 15.5 °C

Odor Threshold: No data available

pH: No data available

Melting Point: No data available -114 C Boiling Point: Estimated 79 C Flash Point: Estimated 17 C 17 C

Flammable Limits in Air: Ethyl alcohol: 3.3 - 19%

Solubility in Water: Soluble

Log Pow (calculated): No data available -0.32
Autoignition Temperature: Estimated 423 C
Decomposition Temperature: No data available

Viscosity: No data available
Percent Volatile by Volume: 94%

Section 10 Reactivity Data

Reactivity: Mildly reactive - See below **Chemical Stability:** Stable under normal conditions.

Conditions to Avoid:Temperatures above flash point in combination with sparks, open flames, or other

sources of ignition.

Incompatible Materials: Organic Peroxides, Strong acids, Oxidizing materials, Water-reactive materials, Strong

oxidizing agents

Hazardous Decomposition Products: Carbon dioxide
Hazardous Polymerization: Will not occur

Section 11 Toxicity Data

Routes of Entry Inhalation and ingestion.

Symptoms (Acute): Respiratory Irritation, Dermititis, Central Nervous System Depression, Dizziness, Eye disorders, Allergies,

Laxative effect

Delayed Effects: No data available

Acute Toxicity:

| Chemical Name | CAS Number | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---------------|------------|-----------------|-------------|-----------------|
| Water | 7732-18-5 | Oral LD50 Rat | | |
| | | 90000 mg/kg | | |
| 2-Propanol | 67-63-0 | Oral LD50 Rat | | INHALATION |
| • | | 5045 mg/kg | | LC50 Rat 16000 |
| | | Oral LD50 Mouse | | ppm |
| | | 3600 mg/kg | | • • |
| Methanol | 67-56-1 | Oral LD50 Mouse | | INHALATION |
| | | 7300 mg/kg | | LC50 Rat 64000 |
| | | | | ppm |

Phenolphthalein 77-09-8

Carcinogenicity:

| Chemical Name | CAS Number | IARC | NTP | OSHA |
|-----------------|------------|------------|------------|------------|
| Ethanol | 64-17-5 | Listed | Listed | Listed |
| 2-Propanol | 67-63-0 | Listed | Not listed | Not listed |
| Methanol | 67-56-1 | Not listed | Not listed | Not listed |
| Phenolphthalein | 77-09-8 | Listed | Listed | Listed |

Chronic Effects:

Mutagenicity: Evidence of a mutagenic effect.

Teratogenicity: Evidence of a teratogenic effect (birth defect).

Sensitization: No evidence of a sensitization effect.

Reproductive: Evidence of negative reproductive effects.

Target Organ Effects:

Acute: Central Nervous System, Eyes, Kidneys, Liver, Gastrointestinal tract

Chronic: Eyes, Kidneys, Liver, Gastrointestinal tract

Section 12 Ecological Data

Overview: Slight ecological hazard. In high concentrations, this product may be dangerous to plants and/or

wildlife.

Mobility: This material is expected to have moderate mobility in soil. It absorbs to most soil types.

Persistence: Biodegradation, Adsorbs to soil/solids **Bioaccumulation:** Bioconcentration is not expected to occur.

Degradability: Biodegrades quickly.

Other Adverse Effects: No data

Chemical Name CAS Number Eco Toxicity 96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC] Ethanol 64-17-5 48 HR EC50 DAPHNIA MAGNA 2 MG/L [STATIC] 24 HR EC50 DAPHNIA MAGNA 10800 MG/L 48 HR LC50 DAPHNIA MAGNA 9268 - 14221 MG/L No data available Water 7732-18-5 2-Propanol 67-63-0 96 HR LC50 LEPOMIS MACROCHIRUS > 1400000 µG/L 96 HR LC50 PIMEPHALES PROMELAS 11130 MG/L [STATIC] 48 HR EC50 DAPHNIA MAGNA 13299 MG/L 72 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L 96 HR EC50 DESMODESMUS SUBSPICATUS > 1000 MG/L Methanol 67-56-1 96 HR LC50 PIMEPHALES PROMELAS > 100 MG/L [STATIC] Phenolphthalein 77-09-8

Disposal Information Section 13

Disposal Methods: Dispose in accordance with all applicable Federal, State and Local regulations. Always

contact a permitted waste disposer (TSD) to assure compliance.

Waste Disposal Code(s): If discarded, this product is considered a RCRA ignitable waste, D001.

Section 14 Transport Information

Ground - DOT Proper Shipping Name: Air - IATA Proper Shipping Name:

UN1170 UN1170

Ethanol Solutions Ethanol Solutions

Class 3 Class 3 P.G. II P.G. II

Regulatory Information Section 15

TSCA Status: All components in this product are on the TSCA Inventory.

| Chemical Name | CAS Number | § 313 Name | § 304 RQ | CERCLA RQ | § 302 TPQ | CAA 112(2) TQ |
|-----------------|---------------|----------------------|----------|--|-----------|------------------|
| Ethanol | 64-17-5 | No | No | No | No | No |
| 2-Propanol | 67-63-0 | Isopropyl alcohol | No | No | No | No |
| Methanol | 67-56-1 | Methanol | No | 5000 lb final RQ; 2270 kg final RQ | No | No |
| Phenolphthalein | 77-09-8 | Phenolphthale in | No | No | No | No |

WARNING: This product contains a chemical known to the state of California to cause cancer, birth defects or other reproductive harm.

Additional Information **Section 16**

Revised: 11/18/2015 Replaces: 11/18/2015 Printed: 07-06-2016

The information provided in this (Material) Safety Data Sheet represents a compilation of data drawn directly from various sources available to us. Carolina Biological Supply makes no representation or guarantee as to the suitability of this information to a particular application of the substance covered in the (Material) Safety Data Sheet.

Glossary

California Prop 65:

| ACGIH | American Conference of Governmental | NTP | National Toxicology Program |
|--------|---|------|---|
| | Industrial Hygienists | OSHA | Occupational Safety and Health Administration |
| CAS | Chemical Abstract Service Number | PEL | Permissible Exposure Limit |
| CERCLA | Comprehensive Environmental Response, | ppm | Parts per million |
| | Compensation, and Liability Act | RCRA | Resource Conservation and Recovery Act |
| DOT | U.S. Department of Transportation | SARA | Superfund Amendments and Reauthorization Act |
| IARC | International Agency for Research on Cancer | TLV | Threshold Limit Value |
| N/A | Not Available | TSCA | Toxic Substances Control Act |
| | | IDLH | Immediately dangerous to life and health |