

# **Safety Data Sheet**

Copyright, 2014, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

19-7982-2 6.00 **Document Group: Version Number:** Issue Date: 11/18/14 06/30/09 **Supercedes Date:** 

### **SECTION 1: Identification**

#### 1.1. Product identifier

3M(TM) Dust Remover AV152A, AV152A-B, AV152B

#### **Product Identification Numbers**

0050-4565-6, 70-0050-4715-7, 70-0050-7309-6, 70-0050-7316-1, 70-0050-7986-1, 70-0050-8052-1, 70-0051-0911-4, 70-0050-7986-1, 70-0050-7986-0051 - 1956 - 8, 70 - 0051 - 2011 - 1, 70 - 0051 - 2013 - 7, 70 - 0051 - 2070 - 7, 70 - 0051 - 3321 - 3, 70 - 0051 - 4224 - 8, 70 - 0051 - 4480 - 6, 70 - 1051 -0051 - 4540 - 7, 70 - 0051 - 6293 - 1, 70 - 0051 - 6628 - 8, 70 - 0051 - 6856 - 5, 70 - 0713 - 0457 - 3, 70 - 0713 - 0458 - 1, 70 - 0713 - 2085 - 0, 70 - 0713 - 0458 - 1, 70 - 0713 - 1, 70 - 0713 - 1, 70 - 0713 - 1, 70 - 0713 - 1, 70 - 0713 - 1, 70 - 0713 - 1, 70713 - 2286 - 4, 70 - 0713 - 5096 - 4, 70 - 0713 - 6798 - 4, 70 - 0713 - 7295 - 0, 70 - 0713 - 8144 - 9, 70 - 0713 - 8166 - 2, 70 - 0713 - 9180 - 2, 70 - 0713 - 2, 70 - 0713 - 2, 70 - 0713 - 2, 70 - 0713 - 2, 70 - 07130713 - 9333 - 7, 70 - 0713 - 9390 - 7, 70 - 0714 - 1472 - 9, 70 - 0714 - 1595 - 7, 70 - 0714 - 2146 - 8, 70 - 0714 - 2147 - 6, 70 - 0714 - 2212 - 8, 70 - 0714 - 2147 - 6, 70 - 0714 - 2212 - 8, 70 - 0714 - 2147 - 6, 70 - 0714 - 2212 - 8, 70 - 0714 - 2147 - 6, 70 - 0714 - 2212 - 8, 70 - 0714 - 2147 - 6, 70 - 0714 - 2212 - 8, 70 - 0714 - 2212 - 8, 70 - 0714 - 2147 - 6, 70 - 0714 - 2212 - 8, 70 - 0714 - 2147 - 6, 70 - 0714 - 2212 - 8, 70 - 0714 - 2147 - 6, 70 - 0714 - 2212 - 8, 70 - 0714 - 2147 - 6, 70 - 0714 - 2212 - 8, 70 - 0714 - 2147 - 6, 70 - 0714 - 2212 - 8, 70 - 0714 - 2147 - 6, 70 - 0714 - 2212 - 8, 70 - 0714 - 2147 - 6, 70 - 0714 - 2212 - 8, 70 - 0714 - 2147 - 6, 70 - 0714 - 2212 - 8, 70 - 0714 - 2147 - 6, 70 - 0714 - 2212 - 8, 70 - 0714 - 2147 - 6, 70 - 0714 - 2212 - 8, 70 - 0714 - 2147 - 6, 700714-2417-3, 70-0714-2418-1, 70-0714-2419-9, 70-0714-7652-0, 70-0714-8282-5, 70-0714-8283-3, 70-0714-8298-1, 70-0714-8298-0714-8977-0, 70-0714-9081-0, 70-0714-9437-4, 70-0715-0658-1

### 1.2. Recommended use and restrictions on use

### Recommended use

Compressed gas duster.

### 1.3. Supplier's details

**MANUFACTURER:** 3M

**DIVISION:** Stationery and Office Supplies Division **ADDRESS:** 3M Center, St. Paul, MN 55144-1000, USA 1-888-3M HELPS (1-888-364-3577) **Telephone:** 

### 1.4. Emergency telephone number

1-800-364-3577 or (651) 737-6501 (24 hours)

# **SECTION 2: Hazard identification**

#### 2.1. Hazard classification

Flammable Aerosol: Category 2.

Specific Target Organ Toxicity (single exposure): Category 1.

Specific Target Organ Toxicity (central nervous system): Category 3.

### 2.2. Label elements

Signal word

Danger

### **Symbols**

Flame | Exclamation mark | Health Hazard |





#### **Hazard Statements**

Flammable aerosol.

May cause drowsiness or dizziness.

Causes damage to organs: cardiovascular system |

### **Precautionary Statements**

#### **Prevention:**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Do not breathe dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Do not eat, drink or smoke when using this product.

Wash thoroughly after handling.

#### **Response:**

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF exposed: Call a POISON CENTER or doctor/physician.

Specific treatment (see Notes to Physician on this label).

### Storage:

Protect from sunlight. Do not expose to temperatures exceeding 50C/122F.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

#### Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

#### Notes to Physician:

Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary.

#### 2.3. Hazards not otherwise classified

May cause frostbite.

# **SECTION 3: Composition/information on ingredients**

| Ingredient         | C.A.S. No. | % by Wt                |
|--------------------|------------|------------------------|
| 1,1-DIFLUOROETHANE | 75-37-6    | > 99.65 Trade Secret * |

<sup>\*</sup>The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **Inhalation:**

Remove person to fresh air. Get medical attention.

#### **Skin Contact:**

Thaw frosted skin with lukewarm water. Do not rub affected area. Get medical attention.

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

#### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1. Information on toxicological effects.

#### 4.3. Indication of any immediate medical attention and special treatment required

Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary.

# **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

Use a fire fighting agent suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### **Hazardous Decomposition or By-Products**

**Condition Substance** Carbonyl Fluoride **During Combustion** Carbon monoxide **During Combustion** Carbon dioxide **During Combustion** Hydrogen Fluoride **During Combustion** 

#### 5.3. Special protective actions for fire-fighters

When fire fighting conditions are severe and total thermal decomposition of the product is possible, wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment.

Page 3 of 9

#### 6.3. Methods and material for containment and cleaning up

If possible, seal leaking container. Place leaking containers in a well-ventilated area, preferably an operating exhaust hood, or if necessary outdoors on an impermeable surface until appropriate packaging for the leaking container or its contents is available. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Do not breathe thermal decomposition products. Do not use in a confined area with minimal air exchange. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

#### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight. Do not expose to temperatures exceeding 50C/122F. Store away from acids. Store away from oxidizing agents.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient         | C.A.S. No. | Agency | Limit type               | <b>Additional Comments</b> |
|--------------------|------------|--------|--------------------------|----------------------------|
| 1,1-DIFLUOROETHANE | 75-37-6    | CMRG   | TWA:1000 ppm             |                            |
| 1,1-DIFLUOROETHANE | 75-37-6    | AIHA   | TWA:2700 mg/m3(1000 ppm) |                            |

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

OSHA: United States Department of Labor - Occupational Safety and Health Administration

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

### 8.2. Exposure controls

### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

### 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

**Indirect Vented Goggles** 

### **Skin/hand protection**

No chemical protective gloves are required.

#### Respiratory protection

Use a positive pressure supplied-air respirator if there is a potential for over exposure from an uncontrolled release, exposure levels are not known, or under any other circumstances where air-purifying respirators may not provide adequate protection. An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece supplied-air respirator

For questions about suitability for a specific application, consult with your respirator manufacturer.

#### Thermal hazards

Wear cold insulating gloves/face shield/eye protection.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

General Physical Form: Gas

Odor, Color, Grade: Clear, colorless with slight ethereal odor.

Odor thresholdNo Data AvailablepHNot ApplicableMelting pointNot Applicable

**Boiling Point** -13 °F

Flash Point < -50 °F [Details: consumer aerosol does not exhibit a flame

projection, therefore it is not determined to be flammable as

defined in 16 CFR, Section 1500.3(c)(6)(viii).]

**Evaporation rate** Not Applicable

Flammability (solid, gas) Flammable Aerosol: Category 2.

Flammable Limits(LEL)

Flammable Limits(UEL)

Vapor Pressure

Vapor Density

16.9 % volume

87 psia [@ 77 °F]

2.4 [Ref Std: AIR=1]

Density

0.9 g/cm3 [Details: Liquid]

Specific Gravity 0.9 [Ref Std: WATER=1] [Details: Liquid]

Solubility In Water 0.28 %

Solubility- non-water No Data Available
Partition coefficient: n-octanol/ water No Data Available

**Autoignition temperature** 849 °F

**Decomposition temperature**Not Applicable
Viscosity
Not Applicable

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

### 10.2. Chemical stability

Stable.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

#### 10.4. Conditions to avoid

Done 5 of

### 3M(TM) Dust Remover AV152A, AV152A-B, AV152B 11/18/14

Sparks and/or flames

#### 10.5. Incompatible materials

Alkali and alkaline earth metals

### 10.6. Hazardous decomposition products

Substance
None known.

**Condition** 

Refer to section 5.2 for hazardous decomposition products during combustion.

Extreme heat arising from situations such as misuse or equipment failure can generate hydrogen fluoride as a decomposition product.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

#### 11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### **Inhalation:**

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

May cause target organ effects after inhalation.

#### **Skin Contact:**

Frostbite: Signs/symptoms may include intense pain, discoloration of skin, and tissue destruction.

#### **Eye Contact**

Frostbite: Signs/symptoms may include intense pain, clouding of the cornea, redness, swelling, and blindness.

### **Ingestion:**

No health effects are expected.

#### **Target Organ Effects:**

#### Single exposure may cause:

Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

Single exposure, above recommended guidelines, may cause:

Cardiac Sensitization: Signs/symptoms may include irregular heartbeat (arrhythmia), faintness, chest pain, and may be fatal.

### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or

# 3M(TM) Dust Remover AV152A, AV152A-B, AV152B 11/18/14

the data are not sufficient for classification.

**Acute Toxicity** 

| Name               | Route       | Species | Value  |
|--------------------|-------------|---------|--|
| Overall product    | Inhalation- |         | No data available; calculated ATE > 50,000 ppm |
|                    | Gas(4 hr)   |         |  |
| 1,1-DIFLUOROETHANE | Inhalation- | Rat     | LC50 > 437,000 ppm                             |
|                    | Gas (4      |         |  |
|                    | hours)      |         |  |
| 1,1-DIFLUOROETHANE | Ingestion   | Rat     | LD50 > 1,500 mg/kg                             |

ATE = acute toxicity estimate

### **Skin Corrosion/Irritation**

| Name | Species Value |
|------|---------------|
|------|---------------|

**Serious Eye Damage/Irritation** 

| Name | Species | Value |
|------|---------|-------|
|      |         |       |

### **Skin Sensitization**

| Name | Species | Value |
|------|---------|-------|

**Respiratory Sensitization** 

| Name Species Value |
|--------------------|
|--------------------|

**Germ Cell Mutagenicity** 

| Name               | Route     | Value  |
|--------------------|-----------|--|
| 1.1-DIFLUOROETHANE | In Vitro  | Some positive data exist, but the data are not |
| 1,1-DIFLUOROETHANE | III VIIIO | · · · · · · · · · · · · · · · · · · ·          |
|                    |           | sufficient for classification                  |
| 1,1-DIFLUOROETHANE | In vivo   | Some positive data exist, but the data are not |
|                    |           | sufficient for classification                  |

Carcinogenicity

| - · · · · · · · · · · · · · · · · · · · |            |         |  |
|---|------------|---------|--|
| Name                                    | Route      | Species | Value  |
| 1,1-DIFLUOROETHANE                      | Inhalation | Rat     | Some positive data exist, but the data are not |
|   |            |         | sufficient for classification                  |

# **Reproductive Toxicity**

Reproductive and/or Developmental Effects

| Name               | Route      | Value                            | Species | Test Result         | Exposure<br>Duration   |
|--------------------|------------|----------------------------------|---------|---------------------|------------------------|
| 1,1-DIFLUOROETHANE | Inhalation | Not toxic to female reproduction | Rat     | NOAEL<br>25,000 ppm | 2 years                |
| 1,1-DIFLUOROETHANE | Inhalation | Not toxic to male reproduction   | Rat     | NOAEL<br>25,000 ppm | 2 years                |
| 1,1-DIFLUOROETHANE | Inhalation | Not toxic to development         | Rat     | NOAEL<br>50,000 ppm | during<br>organogenesi |

### Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name               | Route      | Target Organ(s)                      | Value   | Species                | Test Result            | Exposure<br>Duration      |
|--------------------|------------|--------------------------------------|---|------------------------|------------------------|---------------------------|
| 1,1-DIFLUOROETHANE | Inhalation | cardiac<br>sensitization             | Causes damage to organs                                       | Human<br>and<br>animal | NOAEL Not<br>available | poisoning<br>and/or abuse |
| 1,1-DIFLUOROETHANE | Inhalation | central nervous<br>system depression | May cause drowsiness or dizziness                             | Human<br>and<br>animal | NOAEL<br>100,000 ppm   |                           |
| 1,1-DIFLUOROETHANE | Inhalation | respiratory irritation               | Some positive data exist, but the data are not sufficient for | Not<br>available       | NOAEL Not available    | not available             |

#### 3M(TM) Dust Remover AV152A, AV152A-B, AV152B 11/18/14

| classification |
|----------------|
|----------------|

Specific Target Organ Toxicity - repeated exposure

| Name               | Route      | Target Organ(s)                                    | Value  | Species | Test Result         | Exposure<br>Duration |
|--------------------|------------|--|--|---------|---------------------|----------------------|
| 1,1-DIFLUOROETHANE | Inhalation | hematopoietic<br>system   kidney<br>and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat     | NOAEL<br>25,000 ppm | 2 years              |
|                    |            | respiratory system                                 |  |         |                     |                      |

#### **Aspiration Hazard**

| _ | <u>.                                      </u> |       |  |  |  |
|---|--|-------|--|--|--|
|   | Name   | Value |  |  |  |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

### **Ecotoxicological information**

Please contact the address or phone number listed on the first page of the SDS for additional ecotoxicological information on this material and/or its components.

#### Chemical fate information

Please contact the address or phone number listed on the first page of the SDS for additional chemical fate information on this material and/or its components.

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. Facility must be capable of handling aerosol cans. Combustion products will include halogen acid (HCl/HF/HBr). Facility must be capable of handling halogenated materials. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

EPA Hazardous Waste Number (RCRA): D001 (Ignitable)

# **SECTION 14: Transport Information**

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

# SECTION 15: Regulatory information

#### 15.1. US Federal Regulations

Contact 3M for more information.

#### 311/312 Hazard Categories:

Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No Immediate Hazard - Yes Delayed Hazard - Yes

Page 8 of 9

### 15.2. State Regulations

Contact 3M for more information.

### 15.3. Chemical Inventories

The components of this product are in compliance with the chemical notification requirements of TSCA.

Contact 3M for more information.

### 15.4. International Regulations

Contact 3M for more information.

This SDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### **SECTION 16: Other information**

#### **NFPA Hazard Classification**

Health: 3 Flammability: 4 Instability: 1 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

### **HMIS Hazard Classification**

**Health:** 3 Flammability: 4 Physical Hazard: 1 Personal Protection: X - See PPE section.

Hazardous Material Identification System (HMIS® III) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® III ratings are to be used with a fully implemented HMIS® III program. HMIS® is a registered mark of the American Coatings Association (ACA).

 Document Group:
 19-7982-2
 Version Number:
 6.00

 Issue Date:
 11/18/14
 Supercedes Date:
 06/30/09

DISCLAIMER: The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. 3M MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M provides information in electronic form as a service to its customers. Due to the remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M

3M USA SDSs are available at www.3M.com

Page 9 of 9