SDS #: 526.00 Revision Date: March 21, 2014

WARNING

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Loeffler's Bacterial Stain

Flinn Scientific, Inc. P.O. Box 219, Batavia, IL 60510 (800) 452-1261


CHEMTREC Emergency Phone Number: (800) 424-9300

SECTION 2 — HAZARDS IDENTIFICATION

Hazard class: Flammable liquids (Category 3). Flammable liquid and vapor (H226). Keep away from heat, sparks, open flames, and hot surfaces. No smoking (P210).

Hazard class: Acute toxicity, oral and dermal (Category 5). May be harmful if swallowed or in contact with skin (H303+H313).

Hazard class: Serious eye damage or irritation (Category 2B). Causes eye irritation (H320).



SECTION 3 — COMPOSITION, INFORMATION ON INGREDIENTS

Component Name	CAS Number	Formula	Formula Weight	Concentration
Methylene blue trihydrate Ethyl alcohol, denatured Potassium hydroxide Water	7220-79-3 64-17-5 1310-58-3 7732-18-5	$\begin{array}{c} C_{16}H_{18}CIN_3S\cdot 3H_2O\\ C_2H_5OH\\ NaOH\\ H_2O \end{array}$	373.90 46.07 39.997 18.00	0.2% 23% 0.08% 77%
Synonym: Loeffler's staining solution				

Signal Word

SECTION 4 — FIRST AID MEASURES

Call a POISON CENTER or physician if you feel unwell.

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing. If on skin (or hair): Immediately remove all contaminated clothing. Rinse skin with water (P303+P361+P353). If swallowed: Rinse mouth. Call a POISON CENTER or physician if you feel unwell.

SECTION 5 - FIRE FIGHTING MEASURES NFPA CODE Class IC combustible liquid due to ethyl alcohol content. Flash point: 36 °C When heated, releases flammable fumes.

In case of fire: Use a tri-class dry chemical fire extinguisher (P370+P378).

SECTION 6 — ACCIDENTAL RELEASE MEASURES

Remove all ignition sources and ventilate area. Contain the spill with sand or other inert absorbent material and deposit in a sealed bag or container. See Sections 8 and 13 for further information.

H-1

F-3

R-0

Flinn Suggested Chemical Storage Pattern: Organic #9. Store with dyes, indicators and stains. Keep container tightly closed and cool (P233+P235). Use explosion-proof electrical and ventilating equipment (P241). Take precautionary measures against static discharge (P243).

SECTION 8 — EXPOSURE CONTROLS, PERSONAL PROTECTION

Wear protective gloves, protective clothing, and eye protection (P280). Wash hands thoroughly after handling (P264). Will stain skin, clothing, and surfaces.

Exposure guidelines: (as ethyl alcohol) PEL 1000 ppm (OSHA), Ceiling 1000 ppm (ACGIH)

SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Blue liquid. Slight alcohol odor.

Biological stain.

SKN-RBT LD₅₀: N.A.

SECTION 10 — STABILITY AND REACTIVITY

Avoid heat, flame or other sources of ignition. Avoid contact with strong oxidizers. Shelf life: Indefinite, if stored properly.

SECTION 11 — TOXICOLOGICAL INFORMATION

Acute effects: Eye irritation, nausea, dizziness, headache. Chronic effects: Liver damage, reproductive, teratogenic effects, carcinogen.

Target organs: Eyes, skin, central nervous system, liver, reproductive system.

N.A. = Not available, not all health aspects of this substance have been fully investigated.

SECTION 12 — ECOLOGICAL INFORMATION

Data not yet available.

SECTION 13 — DISPOSAL CONSIDERATIONS

Please review all federal, state and local regulations that may apply before proceeding. Flinn Suggested Disposal Method #10 is one option.

SECTION 14 — TRANSPORT INFORMATION

Shipping name: Not regulated. Hazard class: N/A. UN number: N/A.

N/A = Not applicable

SECTION 15 — REGULATORY INFORMATION

Not listed.

SECTION 16 — OTHER INFORMATION

This Safety Data Sheet (SDS) is for guidance and is based upon information and tests believed to be reliable. Flinn Scientific, Inc. makes no guarantee of the accuracy or completeness of the data and shall not be liable for any damages relating thereto. The data is offered solely for your consideration, investigation, and verification. The data should not be confused with local, state, federal or insurance mandates, regulations, or requirements and CONSTITUTE NO WARANTY. Any use of this data and information must be determined by the science instructor to be in accordance with applicable local, state or federal laws and regulations. The conditions or methods of handling, storage, use and disposal of the product(s) described are beyond the control of Flinn Scientific, Inc. and may be beyond our knowledge. FOR THIS AND OTHER REASONS, WE DO NOT ASSUME RESPONSIBILITY AND EXPRESSLY DISCLAIM LIABILITY FOR LOSS, DAMAGE OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING, STORAGE, USE OR DISPOSAL OF THIS PRODUCT(s).

Consult your copy of the *Flinn Science Catalog/Reference Manual* for additional information about laboratory chemicals. **Revision Date:** March 21, 2014

fully investigated.

ORL-RAT LD₅₀: 7060 mg/kg (as ethyl alcohol)

IHL-RAT LC₅₀: 20,000 ppm/10H (as ethyl alcohol)