Safety Data Sheet 29 CFR 1910.1200



Section 1: Company and Product Identification

Product Name: Hold The Foam **Product Code:** Hold The Foam

Company: Beacon Adhesives Company, Inc.

125 MacQuesten Parkway South Mount Vernon, NY 10550 PH: 914-699-3400

Emergency Chem-Trec 1-800-424-9300

Response:

Section 2: Hazards Identification GHS02

Hazard Pictograms:

Signal Word: Not Applicable

Hazard Category: Non Hazardous

Hazard Statements:

Precautionary Statements: Non-Hazardous

P264: Wash thoroughly after handling

P280: Wear protective gloves/protective clothing/eye protection/face protection

 $P308+313: IF\ exposed\ or\ concerned:\ Get\ medical\ advice/attention$

P501: Dispose of contents/container in accordance with local/national/international

rules.

Hazards not

otherwise classified: Not applicable, none known.

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Poly Vinyl Emulsion	Non-Hazardous	Proprietary	>50%
Dipropylene Glycol Dibenzoate	Non-Hazardous	271138-31-4	>10

Section 4: First Aid Measures

General Info: Product may give off vapors in appreciable quantities affecting the inhalation route. Ensure proper ventilation.

Notable Exposure Treat Symptomatically

symptoms:

If ingested: Rinse mouth. Seek immediate medical attention.

If inhaled: Remove to fresh air. Obtain medical attention if asthma-like symptoms or other symptoms

levelop.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses if

present and easy to do. Get medical attention if irritation develops or persists.

Skin contact: Take off immediately all contaminated clothing. Rinse with water thoroughly. Get medical

advice if irritation develops or persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if

symptoms develop.

Section 5: Fire Fighting Measures

General Info: None Known

Extinguishing Water Spray, Dry chemical, Carbon Dioxide Foam.

Method / Equipment:

Section 6: Accidental Release Measures

Personal precautions, Wear appropriate personal protective equipment.

protective equipment

and procedures:

Containment Large Spills: Contain actively spilling material if safe and easy to do so. Dike the spilled Equipment and material, where this is possible. Utilize absorbent clay or sand to contain and stop spreading Procedures: material.

Small Spills: Utilize absorbent clay or sand and transfer to waste receptacles.

Cleanup Procedures: Collect all contaminated clay, media, or other cleanup materials into a waste receptacle. If cleaning surface is necessary, utilize mineral spirits or other solvents, provided adequate

ventilation is available.

Section 7: Handling and Storage

Safe Handling No special precaustions are necessary beyond normal good hygiene practices. **Precautions:**

Recommendations Keep conatiner closed for Storage:

Section 8: Exposure Control / Personal Protection

Item NUMBERS 25889-1002, 23889-1004 2 of 5

General / Local exhaust ventilation should be utilized. Eye wash facilities must be available when handling

Engineering this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Use good hygiene.

Respiratory Utilize respirator if airborne levels are not maintained below exposure limits, or if ventilation is

Protection: inadequate.

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash

Point:

Information: hands or exposed skin after using the product.

Section 9: Physical and Chemical Properties

State: Liquid Melting Point: N/A Freezing 32 F

Color: White Boiling 212 F pH N/A

Point/Range: Sp Grav: 1.1 1.2 Odor: N/A

Flash Point: N/A

Upper Flam Limits: Not avail Lower Flam Not avail

Limits:

Viscosity: 800 cSt

Section 10: Stability and Reactivity

General: This product is stable.

Conditions to avoid Freezing Temperatures.

Section 11: Toxicological Information

General Information: Contains solvents which may be harmful in contact with skin or if inhaled.

Toxicological Product has not been tested. Solvent vapors may cause drowsiness or dizziness. Prolonged Information inhalation may be harmful to human health. Irritating in case of skin or eye contact. May be

(product): harmful if swallowed or in contact with skin.

Likely Routes of Inhalation of vapors, dermal Exposure:

Item Number 5 2589-1002, 23889-1004 3 of 5 9/227/2004.5 of 5

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Poly Vinyl Emulsion	No Info	No Info	No Info	None
Dipropylene Glycol Dibenzoate	No Info	No Info	No Info	None

Section 12: Ecological Information

General information: Product not Hazardous

Aquatic toxicity: N/A

Degradation / Mobility info: N/A

Bioaccumulative potential: N/A

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations. Consult with

waste contractor. Contains low levels of flammable solvents.

Container disposal: Treat empty containers with extra care, Recommending crushing containers.

Other considerations: No further information.

Section 14: Transport Information

DOT: Non-regulated

IMO/IMDG: Non-regulated

IATA: Non-regulated

OTHER: Inquire for further transport information.

Comments:

Section 15: Regulatory Information

TSCA: Not Listed

CERCLA RQ: Unlisted

SARA 311/312: Not Listed

SARA 313 Not Listed

Section 16: Other Information

SDS Author: Pete Ryan Version Date: 7/17/2015

Item NUMBERS 25889-1002, 23889-1004 4 of 5 9/227/2014 of 5

The information accumulated herein is based on data which Beacon Chemical Co., Inc. considers to be accurate; provided however, that the company makes no warranty as to the accuracy of the data. Anyone intending to use the information contained herein shall assume sole and complete responsibility for the results of said use including loss or damage resulting from the handling of the material (COMPANY DISCLAIMER...)

ttem NUMBen 2 2889-1002, 23889-1004 5 of 5 9/2 27/26/29 1.5 of 5