Frank T Ross and Sons Ltd.

Weldbond Universal Adhesive

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME:	Weldbond Universal Adhesive	PRODUCT USE:	Adhesive
MANUFACTURER;	Frank T Ross and Sons Ltd	<u>SUPPLIER</u>	Frank T Ross and Sons Ltd
ADDRESS:	110 Riviera Drive, Unit 3 Markham, Ontario. L3R 5M1	ADDRESS:	110 Riviera Drive, Unit 3 Markham, Ontario. L3R 5M1
EMERGENCY:	905-940 1107	EMERGENCY #:	905-940-1107

SECTION II: INFORMATION ON INGREDIENTS

There are no potential health effects expected from normal handling this material. Good housekeeping is expected when handling glue products.

This product is Ecologo certified by Environment Canada's Environmental Choice Program CCD-046 Adhesives

SECTION III: HAZARDOUS IDENTIFICATION

Route of Entry: Potential Health Effects:	Eye, skin contact, ingestion.
Eye Contact:	May cause slight irritation to eyes
Skin Contact:	May cause slight irritation upon repeated/prolonged contact.
Inhalation:	May cause slight nose, throat and respiratory tract irritation
Ingestion:	May cause slight irritation to mouth, esophagus and stomach.
Chronic Effects	As above
Carcinogenicity:	No ingredients listed IARC or NTP or ACGIH. Non-hazardous by WHIMIS/OSHA criteria.
Teratogenicity, Mutagenicity, Reproductive Effects:	The ingredients in this product were found not to be mutagenic when tested by the Ames Assay, (OECD Guidelines for chemical testing, sec.471)
Skin:	Repeated or prolonged exposures to dilutions can cause drying, de-fatting and dermatitis.

SECTION IV: FIRST AID MEASURES

Eye Contact:	Immediately flush with water for 15 minutes. Holding eyelids open during flushing. If irritation
	persists, repeat flushing and obtain medical attention immediately.
Skin Contact:	Immediately flush with water for 15 minutes. Seek medical attention if irritation persists. Remove
	contaminated clothing and launder before reuse.
Inhalation:	Move victim to fresh air.
Ingestion:	DO NOT INDUCE VOMITING. Rinse mouth with water, then drink one glass of water. Seek medical
-	attention. Do not give anything to victim if unconscious or convulsing.

Frank T Ross and Sons Ltd.

Weldbond Universal Adhesive

SECTION V: FIRE FIGHTING MEASURES

Flammability: Flash Point deg (C, TCC):	Non flammable >95 °C
Means of Extinction: Special Fire Hazards: Auto-ignition temperature:	As appropriate for surrounding fire. Use water, dry chemical, carbon dioxide or foam Fire fighters should wear self-contained breathing apparatus. Not applicable.
Flame propagation or burning rate of solid:	Not applicable.
Sensitivity to static discharge:	Not applicable
Unusual Fire and Explosion Hazards.	None expected. As per surrounding fire.
Hazardous decomposition products:	Oxides of carbon, oxides of nitrogen.

SECTION VI: ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures:	Before attempting clean up, refer to the hazard data provided above. Small spills may be absorbed with non-reactive absorbent and placed is suitable, covered container. For large quantities, dispose of in accordance with local, provincial/ state or federal regulations. For large spills prevent from entering sewers and waterways. For large spills provide diking to prevent spreading.
Leak and Spill Procedures:	absorbed with non-reactive absorbent and placed is suitable, covered container. For large quantities, dispose of in accordance with local, provincial/ state or federal regulations. For large spills prevent from entering sewers and waterways. For large spills provide dikir

SECTION VII: HANDLING AND STORAGE

Storage	Requirements:	
---------	---------------	--

KEEP OUT OF REACH OF CHILDREN. Store in a closed container away from incompatible materials, which include acids, oxidizing materials. Storage temperature should be above freezing. Store between 10C/41F and 49C/120F

SECTION VIII: EXPOSURE CONTROL/PERSONAL PROTECTION

Gloves:
Eye Protection:
Respiratory Protection:
Other Protective
Equipment:
Engineering Controls:

Not normally required Not normally required – avoid contact of materials with eyes Not normally required if good ventilation is maintained. As required by employer code. Eye bath, safety shower, protective clothing. General ventilation normally required. If ventilation practices are not adequate for minimizing

exposure, additional ventilation or exhaust systems may be required.

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point (deg C)	100	Specific Gravity (H ₂ 0 = 1):	1.095	Evaporation Rate (water=1):	Slow
% Volatile (Wt%):	Approx	Solubility in water:	Dilutable	PH (as supplied):	5.50
	48 %		emulsion		Approx.
Physical State:	Liquid	Viscosity:	10,000-		
			12000cps		
Appearance / Odour:	Thick milky white Liquid with low odor				

SECTION X: STABILITY AND REACTIVITY

Conditions for Chemical Instability: Incompatible Materials: Hazardous Decomposition Products: Stable Strong oxidizing agents, strong acids. Oxides of carbon, Oxides of Nitrogen when heated. Hydrochloric acid,

volatile amines and low molecular weight hydrocarbons can be produced.

Frank T Ross and Sons Ltd.

Weldbond Universal Adhesive

SECTION XI: TOXICOLOGICAL INFORMATION

There is no test data on this product. Based on the composition of this product, being P.V. AC. Emulsion this would be considered low oral toxicity. This product may cause irritation to the eyes.

VOC Contents: Max. 0.9% or 9 g/l

Non-Toxic - "Conforms to ASTM D4236."

This evaluation was conducted in accordance with the guidelines specified by the Consumer Product Safety Commission in 16 CFR 1500.135.

SECTION XII: ECOLOGICAL INFORMATION

Biodegradability:

Not biodegradable

SECTION XIII: DISPOSAL CONSIDERATIONS

Dispose of in accordance to all local, provincial/state and federal regulations.

SECTION XIV: TRANSPORTATION

T.D.G. Classification: D.O.T. Classification: Not regulated Not regulated

SECTION XV: REGULATORY INFORMATION

Occupational Health and Safety Regulations: WHMIS Class: OSHA & WHMIS:

SARA - Section 313 (Toxic Chemical Release

CERCLA – Section 102 (Reportable Quantity)

Hazardous Pollutants) 40 CFR 63 (Subpart C)

Environmental Regulatory Lists:

RCRA 40 CFR 261 (Subpart D)

(Reportable Qty) 40 CFR 116: CLEAN AIR ACT – Section 312 (List of

CLEAN WATER ACT – Section 311

National Pollutant Release Inventory

Toxic Substances Control Act (TSCA) Canadian Domestic Substance List (DSL):

Reporting) 40 CFR 372

40 CFR 302

Not classified MSDS prepared pursuant to the Hazard Communication Standard (CFR29.1920.1200) and Canadian WHMIS regulations

None of these ingredients are listed.

None of the ingredients are listed

None of the ingredients are listed None of these ingredients are listed

None of these ingredients are listed

None of these ingredients are listed All ingredients are registered on the Chemical Substances Inventory. All ingredients are registered on the DSL

Frank T Ross and Sons Ltd.

Weldbond Universal Adhesive

SECTION XVI: OTHER INFORMATION

Date:	January 2, 2013	Prepared By:	Technical Services	Telephone:	905 940 1107
Date.	January 2, 2015	riepareu by.		relephone.	303 340 1107
			Group	-	
			Group		

Disclaimer:

Information for this material safety data sheet was obtained from sources considered tehnically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond the control of supplier, it is assumed that users of this material; have been fully trained according to the mandatory requirements of WHMIS. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries for consequential damages, which may result from the use or reliance on any information contained in this form. If user requires independent information on ingredients in this or other material, we recommend contact with the Canadian Centre for Occupational Health and Safety (CCOHS) in Hamilton, Ontario (905-572-4400) or CSST on Montreal, Quebec (514-873-3990).