

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name	:	PINNACLE STONE IMPREGNATOR
Other means of identification	:	Not applicable
Recommended use	:	Floor care product
Restrictions on use	:	Reserved for industrial and professional use.
Product dilution information	:	Product is sold ready to use.
Company	:	Ecolab Inc. 1 Ecolab Place St. Paul, Minnesota USA 55102 1-800-352-5326
Emergency health information	:	1-800-328-0026 (US/Canada), 1-651-222-5352 (outside US)
Issuing date	:	12/29/2017

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification	
Flammable liquids Eye irritation	: Category 4 : Category 2B
GHS label elements	
Signal Word	: Warning
Hazard Statements	: Combustible liquid. Causes eye irritation.
Precautionary Statements	 Prevention: Keep away from heat/sparks/open flames/hot surfaces. No smoking. Wash skin thoroughly after handling. Wear protective gloves/ eye protection/ face protection. Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Storage: Store in a well-ventilated place. Keep cool. Disposal: Dispose of contents/ container to an approved waste disposal plant.
Other hazards	: None known.
SECTION 3. COMPOSITION	/INFORMATION ON INGREDIENTS

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

: Mixture Pure substance/mixture

Chemical name	CAS-No.
1-(2-methoxy-2-methylethoxy)-2-propanol	34590-94-8
2-butoxyethanol	111-76-2

Concentration (%) 5 - 10 5 - 10

SECTION 4. FIRST AID MEASURES

In case of eye contact	:	Rinse with plenty of water.
In case of skin contact	:	Rinse with plenty of water.
If swallowed	:	Rinse mouth. Get medical attention if symptoms occur.
If inhaled	:	Get medical attention if symptoms occur.
Protection of first-aiders	:	No special precautions are necessary for first aid responders.
Notes to physician	:	Treat symptomatically.
Most important symptoms and effects, both acute and delayed	:	See Section 11 for more detailed information on health effects and symptoms.

SECTION 5. FIRE-FIGHTING	EASURES	
Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.	
Unsuitable extinguishing media	: High volume water jet	
Specific hazards during fire fighting	 Fire Hazard Keep away from heat and sources of ignition. Flash back possible over considerable distance. 	
Hazardous combustion products	 Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus 	
Special protective equipment for fire-fighters	: Use personal protective equipment.	
Specific extinguishing methods	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fi and/or explosion do not breathe fumes.	ire

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	:	Remove all sources of ignition. Refer to protective measures listed in sections 7 and 8.
Environmental precautions	:	Do not allow contact with soil, surface or ground water.
Methods and materials for containment and cleaning up	:	Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	:	Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors). Wash hands thoroughly after handling.
Conditions for safe storage	:	Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep out of reach of children. Store in suitable labeled containers.
Storage temperature	:	0 °C to 50 °C

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Form of exposure	Permissible concentration	Basis
1-(2-methoxy-2-methylethoxy)-2- propanol	34590-94-8	TWA	100 ppm	ACGIH
		STEL	150 ppm	ACGIH
		STEL	150 ppm 900 mg/m3	NIOSH REL
		TWA	100 ppm 600 mg/m3	NIOSH REL
		TWA	100 ppm 600 mg/m3	OSHA Z1
2-butoxyethanol	111-76-2	TWA	20 ppm	ACGIH
		TWA	5 ppm 24 mg/m3	NIOSH REL
		TWA	50 ppm 240 mg/m3	OSHA Z1

Engineering measures	: Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.
Personal protective equipme	ent
Eye protection	: Wear eye protection/ face protection.
Hand protection	 Wear the following personal protective equipment: Standard glove type. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Skin protection	: No special protective equipment required.
Respiratory protection	: No personal respiratory protective equipment normally required.
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice.
SECTION 9. PHYSICAL AND	CHEMICAL PROPERTIES

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

: liquid

Color	: colorless
Odor	: alcohol-like
рН	: 10.5, (100 %)
Flash point	: 61 °C closed cup
Odor Threshold	: No data available
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: >100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapor pressure	: No data available
Relative vapor density	: No data available
Relative density	: 0.995
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n- octanol/water	: No data available
Autoignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Molecular weight	: No data available
VOC	: No data available

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	Stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames and sparks.
Incompatible materials	Metals
Hazardous decomposition products	Decomposition products may include the following materials: Carbon oxides Nitrogen oxides (NOx) Sulfur oxides Oxides of phosphorus

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

Potential Health Effects		
Eyes	:	Causes eye irritation.
Skin	:	Health injuries are not known or expected under normal use.
Ingestion	:	Health injuries are not known or expected under normal use.
Inhalation	:	Health injuries are not known or expected under normal use.
Chronic Exposure	:	Health injuries are not known or expected under normal use.
Experience with human expo	osu	ire
Eye contact	:	Redness, Irritation
Skin contact	:	No symptoms known or expected.
Ingestion	:	No symptoms known or expected.
Inhalation	:	No symptoms known or expected.
Toxicity		
Product		
Acute oral toxicity		Acute toxicity estimate : $> 5.000 \text{ mg/kg}$
Acute oral toxicity Acute inhalation toxicity		Acute toxicity estimate : > 5,000 mg/kg 4 h Acute toxicity estimate : > 200 mg/l Test atmosphere: vapor
Acute inhalation toxicity	:	4 h Acute toxicity estimate : > 200 mg/l Test atmosphere: vapor
•	:	4 h Acute toxicity estimate : > 200 mg/l
Acute inhalation toxicity Acute dermal toxicity	:	4 h Acute toxicity estimate : > 200 mg/l Test atmosphere: vapor Acute toxicity estimate : > 5,000 mg/kg
Acute inhalation toxicity Acute dermal toxicity Skin corrosion/irritation Serious eye damage/eye	:	4 h Acute toxicity estimate : > 200 mg/l Test atmosphere: vapor Acute toxicity estimate : > 5,000 mg/kg No data available
Acute inhalation toxicity Acute dermal toxicity Skin corrosion/irritation Serious eye damage/eye irritation Respiratory or skin		4 h Acute toxicity estimate : > 200 mg/l Test atmosphere: vapor Acute toxicity estimate : > 5,000 mg/kg No data available Mild eye irritation
Acute inhalation toxicity Acute dermal toxicity Skin corrosion/irritation Serious eye damage/eye irritation Respiratory or skin sensitization		4 h Acute toxicity estimate : > 200 mg/l Test atmosphere: vapor Acute toxicity estimate : > 5,000 mg/kg No data available Mild eye irritation No data available
Acute inhalation toxicity Acute dermal toxicity Skin corrosion/irritation Serious eye damage/eye irritation Respiratory or skin sensitization Carcinogenicity		4 h Acute toxicity estimate : > 200 mg/l Test atmosphere: vapor Acute toxicity estimate : > 5,000 mg/kg No data available Mild eye irritation No data available No data available
Acute inhalation toxicity Acute dermal toxicity Skin corrosion/irritation Serious eye damage/eye irritation Respiratory or skin sensitization Carcinogenicity Reproductive effects		4 h Acute toxicity estimate : > 200 mg/l Test atmosphere: vapor Acute toxicity estimate : > 5,000 mg/kg No data available Mild eye irritation No data available No data available No data available
Acute inhalation toxicity Acute dermal toxicity Skin corrosion/irritation Serious eye damage/eye irritation Respiratory or skin sensitization Carcinogenicity Reproductive effects Germ cell mutagenicity		4 h Acute toxicity estimate : > 200 mg/l Test atmosphere: vapor Acute toxicity estimate : > 5,000 mg/kg No data available Mild eye irritation No data available No data available No data available No data available
Acute inhalation toxicity Acute dermal toxicity Skin corrosion/irritation Serious eye damage/eye irritation Respiratory or skin sensitization Carcinogenicity Reproductive effects Germ cell mutagenicity Teratogenicity		4 h Acute toxicity estimate : > 200 mg/l Test atmosphere: vapor Acute toxicity estimate : > 5,000 mg/kg No data available Mild eye irritation No data available No data available No data available No data available No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity	
Environmental Effects	: This product has no known ecotoxicological effects.
Product	

Toxicity to daphnia and other aquatic invertebrates	:	No data available					
Toxicity to algae	:	No data available					
Ingredients							
Toxicity to fish	:	1-(2-methoxy-2-methylethoxy)-2-propanol 96 h LC50 Fish: > 1,000 mg/l					
		2-butoxyethanol 96 h LC50: 1,474 mg/l					
Ingredients							
Toxicity to daphnia and other aquatic invertebrates	:	2-butoxyethanol 48 h EC50: 690 mg/l					
Ingredients							
Toxicity to algae	:	2-butoxyethanol 72 h EC50: 911 mg/l					
Persistence and degradability							
Readily biodegradable.							
Bioaccumulative potential							
No data available							
Mobility in soil							
No data available							
Other adverse effects							
No data available							
SECTION 13. DISPOSAL CONSIDERATIONS							
Disposal methods	:	Diluted product can be flushed to sanitary sewer.					
Disposal considerations	:	Dispose of in accordance with local, state, and federal regulations.					

SECTION 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (DOT)

Not dangerous goods

Sea transport (IMDG/IMO)

Not dangerous goods

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Fire Hazard Acute Health Hazard			
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.			
SARA 313	:	The following components are subject to reporting levels established by SARA Title III, Section 313:			
		2-butoxyethanol	111-76-2	5 %	

California Prop 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

The ingredients of this product are reported in the following inventories:

United States TSCA Inventory :

On TSCA Inventory

Canadian Domestic Substances List (DSL) : All components of this product are on the Canadian DSL

Australia Inventory of Chemical Substances (AICS) :

On the inventory, or in compliance with the inventory

New Zealand. Inventory of Chemical Substances :

On the inventory, or in compliance with the inventory

Japan. ENCS - Existing and New Chemical Substances Inventory :

On the inventory, or in compliance with the inventory

Korea. Korean Existing Chemicals Inventory (KECI) :

On the inventory, or in compliance with the inventory

Philippines Inventory of Chemicals and Chemical Substances (PICCS) :

On the inventory, or in compliance with the inventory

China. Inventory of Existing Chemical Substances in China (IECSC) :

On the inventory, or in compliance with the inventory


Taiwan Chemical Substance Inventory (TCSI) :

On the inventory, or in compliance with the inventory

SECTION 16. OTHER INFORMATION

Prepared by

PINNACLE STONE IMPREGNATOR



REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

: Regulatory Affairs

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.