Printing date 08/11/2015 Reviewed on 08/11/2015

1 Identification

- · Product identifier
- · Trade name: Aerosol Sealant
- · Recommended use and restriction on use
- · Recommended use: Sealant
- · Restrictions on use: See Sections 8 and 10 for further information.
- Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

ITW Global Tire Repair, Inc. 125 Venture Drive, Suite 210, San Luis Obispo, CA 93401 Tel (805) 489-0490

· Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585



2 Hazard(s) identification

· Classification of the substance or mixture



GHS04 Gas cylinder

Press. Gas H280 Contains gas under pressure; may explode if heated.



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

Additional information:

There are no other hazards not otherwise classified that have been identified.

0 percent of the mixture consists of ingredient(s) of unknown toxicity.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS04 GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

Natural rubber latex

· Hazard statements

H280 Contains gas under pressure; may explode if heated.

H317 May cause an allergic skin reaction.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves.

(Contd. on page 2)

Printing date 08/11/2015 Reviewed on 08/11/2015

Trade name: Aerosol Sealant

P363 Wash contaminated clothing before reuse. (Contd. of page 1)

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P302+P352 If on skin: Wash with plenty of water.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

Dispose of contents/container in accordance with local/regional/national/international P501

regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0

Reactivity = 1

· HMIS-ratings (scale 0 - 4)



Health = 0 Fire = 0

REACTIVITY 1 Reactivity = 1

- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

Dangerous components:			
29118-24-9	(1E)-1,3,3,3-Tetrafluoro-1-propene	Press. Gas, H280 Simple Asphyxiant	20-40%
9006-04-6	Natural rubber latex	🕦 Skin Sens. 1B, H317	5-10%
56-81-5	glycerol		1-5%

Additional information:

For the listed ingredient(s), the identity and exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eve contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Contd. on page 3)

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 08/11/2015 Reviewed on 08/11/2015

Trade name: Aerosol Sealant

· After swallowing:

Unlikely route of exposure.

Do not induce vomiting; immediately call for medical help.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

Allergic reactions

Gastric or intestinal disorders when ingested.

- · Danger No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

Medical supervision for at least 48 hours.

Treat skin and mucous membrane with antihistamine and corticoid preparations.

Contains Natural rubber latex. May produce an allergic reaction.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- For safety reasons unsuitable extinguishing agents: None.
- · Special hazards arising from the substance or mixture

Danger of receptacles bursting because of high vapor pressure if heated.

- · Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information Cool endangered receptacles with water in flooding quantites.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol.

- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:

Allow to solidify. Pick up mechanically.

Dispose contaminated material as waste according to item 13.

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:
- Precautions for safe handling

Use only in well ventilated areas.

(Contd. on page 4)

Printing date 08/11/2015 Reviewed on 08/11/2015

Trade name: Aerosol Sealant

(Contd. of page 3)

Avoid splashes or spray in enclosed areas.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:		
9006-04-6 Natural rubber latex		
TLV (USA)	Long-term value: 0.0001* mg/m³ Skin; DSEN, RSEN;* inh. fraction	
EL (Canada)	Long-term value: 0.001 mg/m³ inhalable, Skin; S	
EV (Canada)	Long-term value: 0.001 mg/m³ as total proteins, inhalable, Skin	
LMPE (Mexico)	Long-term value: 0.0001* mg/m³ SEN, PIEL, *fracción inhalable	
56-81-5 glycerol		
PEL (USA)	Long-term value: 15* 5** mg/m³ mist; *total dust **respirable fraction	
TLV (USA)	TLV withdrawn-insufficient data human occup. exp.	
EL (Canada)	Long-term value: 10* 3** mg/m³ *mist; **mist, resirable	
EV (Canada)	Long-term value: 10 mg/m³	
LMPE (Mexico)	Long-term value: 10 mg/m³	

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

· Engineering controls: No further relevant information available.

(Contd. on page 5)

Printing date 08/11/2015 Reviewed on 08/11/2015

Trade name: Aerosol Sealant

(Contd. of page 4)

Breathing equipment:

Not required under normal conditions of use.

Use suitable respiratory protective device when high concentrations are present.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses

· Body protection:

Not required under normal conditions of use.

Protection may be required for spills.

Limitation and supervision of exposure into the environment

No further relevant information available.

Risk management measures

See Section 7 for additional information.

No further relevant information available.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Aerosol

Color: According to product specification

Odor: CharacteristicOdor threshold: Not determined.pH-value: Not determined.

· Change in condition

Melting point/Melting range: Not applicable, as aerosol.

Boiling point/Boiling range: >100 °C (>212 °F)

· **Flash point:** Not applicable, as aerosol.

(Contd. on page 6)

Printing date 08/11/2015 Reviewed on 08/11/2015

Trade name: Aerosol Sealant

(Contd. of page 5)

Flammability (solid, gaseous): Not applicable.
 Auto-ignition temperature: Not determined.
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

· Danger of explosion: Not determined.

· Explosion limits:

Lower:
Upper:
Not determined.
Not determined.

• Vapor pressure at 20 °C (68 °F):
23 hPa (17 mm Hg)

• **Density at 20 °C (68 °F):** $1.00 \pm 0.02 \text{ g/cm}^3 (8.345 \pm 0.167 \text{ lbs/gal}) \text{ (Liquid Components)}$

Relative density
 Vapour density
 Evaporation rate
 Not determined.
 Not applicable.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined.

Kinematic: Not determined.

VOC (California) < 10 % wt

· Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

Danger of receptacles bursting because of high vapor pressure if heated.

· Possibility of hazardous reactions

Reacts with strong oxidizing agents.

Toxic fumes may be released if heated above the decomposition point.

- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Under fire conditions only:

Carbon monoxide and carbon dioxide

Danger of toxic fluorine based pyrolysis products.

(Contd. on page 7)

Printing date 08/11/2015 Reviewed on 08/11/2015

Trade name: Aerosol Sealant

(Contd. of page 6)

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization:

Sensitization possible through skin contact.

Contains Natural rubber latex. May produce an allergic reaction.

- · Subacute to chronic toxicity: No further relevant information available.
- Additional toxicological information:

Irritant

Danger through skin absorption.

Toxic and/or corrosive effects may be delayed up to 24 hours.

- Carcinogenic categories
- · NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

· Probable Routes of Exposure

Inhalation.

Eve contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): None.
- · Repeated Dose Toxicity: Repeated exposures may result in skin and/or respiratory sensitivity.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

• Other adverse effects No further relevant information available.

(Contd. on page 8)

Printing date 08/11/2015 Reviewed on 08/11/2015

Trade name: Aerosol Sealant

(Contd. of page 7)

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· DOT, ADR, IMDG, IATA UN1950

· UN proper shipping name

DOT Aerosols, non-flammable
 ADR 1950 AEROSOLS
 IMDG, IATA AEROSOLS

· Transport hazard class(es)

· DOT



· Class 2 Gases Label 2.2

· ADR



· Class 2.2 5A · Label 2.2

· IMDG, IATA



· Class 2 Gases Label 2.2

· Packing group

DOT, ADR, IMDG, IATA Not Regulated

Environmental hazards:

· Marine pollutant: No

· Special precautions for user Not applicable.

(Contd. on page 9)

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date 08/11/2015 Reviewed on 08/11/2015

Trade name: Aerosol Sealant

· EMS Number: F-D,S-U

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· DOT

• **Quantity limitations** On passenger aircraft/rail: 75 kg

On cargo aircraft only: 150 kg

· ADR

· Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

·IMDG

· Limited quantities (LQ) 1L

Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

UN "Model Regulation": UN1950, Aerosols, 2.2

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Contd. on page 10)

Printing date 08/11/2015 Reviewed on 08/11/2015

Trade name: Aerosol Sealant

(Contd. of page 9)

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

State Right to Know Listings

None of the ingredients is listed.

· Canadian substance listings:

Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

None of the ingredients is listed.

· Other regulations, limitations and prohibitive regulations

This product has been classified in accordance with hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision 08/11/2015 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Press. Gas: Gases under pressure: Compressed gas Press. Gas: Gases under pressure: Liquefied gas Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Skin Sens. 1B: Sensitisation - Skin, Hazard Category 1B

· Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

(Contd. on page 11)

Printing date 08/11/2015 Reviewed on 08/11/2015

Trade name: Aerosol Sealant

Website: www.chemtelinc.com

(Contd. of page 10)