

**JUNE 10, 2003**

**MATERIAL SAFETY DATA SHEET**

**SECTION I IDENTIFICATION**

PRODUCT NAME: Sure Glide Application Fluid

CHEMICAL NAME: Not applicable (Product is a mixture)

DISCRIPTION: A formulated liquid used as an aid in the application of self-adhesive vinyl decals

SUPPLIERS NAME: G.D.S., Inc.  
20358 Chappepeela Rd.  
Loranger, LA 70446-3232

EMERGENCY PHONE #: 985-902-8788

HMIS RATING: A

HAZARD RATING (NFPA)

HAZARD RATING SCALE

HEALTH: 2

0 = MINIMAL 3 = SERIOUS

FIRE: 0

1 = SLIGHT 4 = SEVERE

REACTIVITY 0

2 = MODERATE

**SECTION II HAZARDOUS INGREDIENTS / INDENTITY INFORMATION**

FORMULA: Proprietary Formula

Threshold limit value (TLV): 1000 PPM

OSHA Permissible Exposure Limit (PEL): 1000 PPM

**SECTION III PHYSICAL / CHEMICAL CHARACTERISTICS**

BOLING POINT : 210 – 235 F  
SOLUBILITY IN WATER : Complete  
VAPOR PRESSURE : N / A  
VAPOR DENSITY : N / A  
MELTING POINT : N / A

EVAPORATION RATE: Not Known  
APPEARANCE / ODOR: Clear Pink  
With pleasant coconut-type odor  
WEIGHT: 7.8 # Per Gallon  
SHELF LIFE: Indefinite

## SECTION IV FIRE EXPLOSION DATA

\* note: Fire and/or explosion not known to occur

FLASH POINT (METHOD): Non-flammable [see USDOT sec. 173.150(e)]

EXTINGUISHING MEDIA: Water Fog, CO2, Foam, And Dry Chemical

SPECIAL FIRE FIGHTING PROCEDURES: Self-Contained breathing apparatus and protective clothing should be worn when fighting chemical fires.

## SECTION V REACTIVITY DATA

STABILITY: Stable

CONDITIONS AND MATERIALS TO AVOID: None Known

HAZARDOUS DECOMPOSITION PRODUCTS: None Known

HAZARDOUS POLYMERIZATION: Will not occur

## SECTION VI HEALTH HAZARD DATA

ROUTES OF ENTER LIKELY UNDER NORMAL USE CONDITIONS

INHALATION: XX

SKIN: XX

INGESTION:

### EFFECTS OF OVER EXPOSURE:

INHALATION: Inhalation of excessive concentrations of vapors or mist may cause irritation of nose and throat, drowsiness, dizziness, and fatigue. May result in central nervous system (CNS) depression. Normal use would not cause these symptoms.

INGESTION: Irritation to the gastrointestinal tract causing abdominal pain and vomiting, sometimes bloody. Ingestion may cause CNS Depression, Low blood pressure, rapid heartbeat and liver damage.

EYES: Moderately irritating to the eyes on direct contact

SKIN: Mildly irritating to the skin after prolonged contact

SIGNS AND SYMPTOMS: Irritation as noted above. Early to moderate CNS (Central Nervous System) Depression may be evidenced by giddiness, headache, dizziness and nausea; in extreme cases, unconscious, respiratory depression and death may occur. Liver damage may be evidenced by loss of appetite, jaundice (yellowish skin color) and sometimes pain in the upper abdomen or right side.

Aggravated medical conditions: Preexisting eye, skin and respiratory disorders may be aggravated by exposure to this product. Impaired function from preexisting disorders may be aggravated by exposure to this product.

## **FIRST AID PROCEDURES**

EYE CONTACT: Immediately flush eyes with plenty of water for at least 15 minutes while holding eyelids open. Get medical attention.

SKIN CONTACT: flush skin with water. If irritation occurs, get medical attention

INHALATION: Remove victim to fresh air and provide oxygen if breathing is difficult. Get medical attention.

INGESTION: Do not give liquids if victim is unconscious or very drowsy. Otherwise, give no more than two glasses of water and induce vomiting by giving 30cc (two Tablespoons) syrup of Ipecac. If Ipecac is unavailable, give 2 glasses of water and induce vomiting by touching the back of the victim's throat. Keep victim's head below hips while vomiting. Get medical attention.

NOTE TO PHYSICIAN: If victim is a child, give no more than 1 glass of water and 15cc (one Tablespoon) of syrup of Ipecac. If symptoms such as loss of gag reflex, convulsions or unconsciousness occur before emesis, gastric lavage should be considered following intubations with a cuffed endotracheal tube.

## **SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE**

RESPIRATORY PROTECTION: If exposure may or does exceed occupational exposure limits, use NIOSH-Approved respirator to prevent over-exposure. In accord with 29 CFT 1910.134 use either an atmosphere- supplying respirator or an air-purifying respirator for organic vapors.

OSHA has established transitional occupational exposure limits for this product and/or components of this product. Refer to 29 CFR 1910.1000 for these transitional limits and requirements for meeting these limits.

PROTECTIVE CLOTHING: Avoid contact with eyes. Wear chemical goggles if there is likelihood of contact with eyes. Avoid prolonged or repeated contact with skin. Wear chemical-resistant gloves and other clothing as required to minimize contact. Test data from published literature and/or glove and clothing manufacturers indicate the best protection is provided by nitrile, neoprene and natural rubber gloves.

ADDITIONAL PROTECTIVE MEASURES: Eye wash fountains and safety showers should available for emergency use.

## **SECTION VII ENVIRONMENTAL PROTECTION**

SPILL OR LEAK PROCEDURES: Small spills can be wiped up with a cloth, paper or standard absorbents (sand, sawdust, vermiculite).

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: No special precautions

SPECIAL PRECAUTIONS: Wash hands with soap and water before eating, drinking, smoking or using toilet facilities. Launder clothing as usual.

**DISCLAIMER**

The information contained herein is based on the data available to us and is believed to be correct. However, this company makes no warranty, expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. This company assumes no responsibility for injury from the use of this product described herein.