

SAFETY DATA SHEET

KILN WASH DRY

1. Identification

Product identifier

Product name KILN WASH DRY

Product number KILN WASH DRY

Recommended use of the chemical and restrictions on use

Details of the supplier of the safety data sheet

Supplier American Art Clay Co Inc
6060 Guion Road
Indianapolis,
IN 46254-1222
USA
Toll Free: 1-800-925-5195 ext. 1303
Local: 1-317-243-0066 ext. 1303

Emergency telephone number

2. Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Eye Irrit. 2A - H319 Carc. 1B - H350i STOT RE 2 - H373

Environmental hazards Not Classified

Label elements

Pictogram



Signal word Danger

Hazard statements H319 Causes serious eye irritation.
H350i May cause cancer by inhalation.
H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe vapor/ spray.
P264 Wash contaminated skin thoroughly after handling.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 If exposed or concerned: Get medical advice/ attention.
P314 Get medical advice/ attention if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P405 Store locked up.
P501 Dispose of contents/ container in accordance with national regulations.

KILN WASH DRY

Supplemental label information

WARNING: CANCER AGENT !! INHALATION MAY PRODUCE CANCER. INHALATION MAY CAUSE LUNG DAMAGE. CONTAINS: QUARTZ. PRECAUTIONS: Use in a locally exhausting hood appropriate for the operation. Damp mop after use. Use a NIOSH-certified mask for dusts and mists. Not for use by children in dry form. FIRST AID TREATMENT: For further health information, contact a national poison control number; 1-800-222-1222.

Other hazards

3. Composition/information on ingredients

Mixtures

silica	30-60%
CAS number: 14808-60-7	
Classification	
STOT RE 2 - H373	

The full text for all hazard statements is displayed in Section 16.

4. First-aid measures

Description of first aid measures

Inhalation	Unlikely route of exposure as the product does not contain volatile substances.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Get medical attention if any discomfort continues.
Skin Contact	Wash skin thoroughly with soap and water.
Eye contact	Rinse with water.

Most important symptoms and effects, both acute and delayed

Skin contact	Prolonged skin contact may cause redness and irritation.
---------------------	--

Indication of immediate medical attention and special treatment needed

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Use fire-extinguishing media suitable for the surrounding fire.

Special hazards arising from the substance or mixture

Specific hazards The product is not believed to present a hazard due to its physical nature.

Advice for firefighters

Special protective equipment for firefighters Use protective equipment appropriate for surrounding materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Environmental precautions

Methods and material for containment and cleaning up

7. Handling and storage

Precautions for safe handling

KILN WASH DRY

Usage precautions Read label before use. Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place.

Specific end uses(s)

8. Exposure Controls/personal protection

Control parameters

Occupational exposure limits

silica

Long-term exposure limit (8-hour TWA): ACGIH 0.025 mg/m³ respirable fraction
A2

ACGIH = American Conference of Governmental Industrial Hygienists.

A2 = Suspected Human Carcinogen.

silica (CAS: 14808-60-7)

Immediate danger to life and health 50 mg/m³ 25 mg/m³

Exposure controls

Protective equipment



9. Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Powder.

10. Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

11. Toxicological information

Information on toxicological effects

12. Ecological Information

Toxicity

Persistence and degradability

Bioaccumulative potential

Mobility in soil

Results of PBT and vPvB assessment

Other adverse effects

13. Disposal considerations

KILN WASH DRY

Waste treatment methods

General information

Dispose of waste product or used containers in accordance with local regulations. When handling waste, the safety precautions applying to handling of the product should be considered.

14. Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DoT).

UN Number

UN proper shipping name

Transport hazard class(es)

Packing group

Environmental hazards

Special precautions for user

15. Regulatory information

International Regulations

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

Known to the State of California to cause cancer.
Contains: silica

silica

30-60%

Massachusetts "Right To Know" List

aluminium silicate

30-60%

silica

30-60%

Rhode Island "Right To Know" List

aluminium silicate

30-60%

silica

30-60%

Minnesota "Right To Know" List

aluminium silicate

30-60%

silica

30-60%

New Jersey "Right To Know" List

aluminium silicate

30-60%

silica

30-60%

KILN WASH DRY

Pennsylvania "Right To Know" List

aluminium silicate

30-60%

silica

30-60%

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

All the ingredients are listed or exempt.

16. Other information

General information	The following are the top 5 materials by weight listed for New Jersey (if applicable):- Crystalline Silica14808-60-7,Hydrated Aluminum Silicate1332-58-7
Revision date	9/20/2016
Revision	3
Supersedes date	4/15/2016
SDS No.	5228
Hazard statements in full	H319 Causes serious eye irritation. H350i May cause cancer by inhalation. H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.