



SAFETY DATA SHEET

Supersedes Date: 25-Aug-2015

Revision Date: 08-Nov-2017

Version: 2

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product Label Name Sun Tropical Breeze Liquid Laundry Detergent
Product Generic Name Liquid Laundry Detergent
Other means of identification
UPC Code(s) 72613710423, 72613710874, 72613711048, 72613708963, 72613710140, 72613708000, 72613708000, 72613708963, 72613710386, 72613459865, 72613705566, 72613708963, 72613705597, 72613708062, 72613012138, 72613708062, 72613462667, 72613708000, 72613463022, 72613463374, 72613464470, 72613464678
Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Laundry detergent liquid for clothes washing machines.
Uses advised against Read label before use

Supplier's details

Distributor
Henkel Corporation
One Henkel Way, Rocky Hill, CT 06067
1-800-298-2408

Emergency telephone number

Emergency telephone Chemtrec (US/CA) 1-800-424-9300 (24 hour)
General - 1-800-776-6702 (Monday – Friday, 8:30AM to 6:00PM EST)
Propharma: 1-800-565-5597 (24 hours)

2. HAZARDS IDENTIFICATION

This (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by our company to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. We assume no responsibility for injury to the recipient or third persons or for any damage to any property resulting from misuse of the product.

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation

Category 2A

GHS Label elements, including precautionary statements

Emergency Overview

Warning

Hazard Statements

Causes serious eye irritation



Appearance Clear Liquid

Physical state liquid

Odor Characteristic

Precautionary Statements - Prevention

Wash hands thoroughly after handling

Precautionary Statements - Response

Get medical advice/attention if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Hazards not otherwise classified (HNOC)

Not applicable

Other information

General Hazards

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %	Trade Secret
Sodium carbonate	497-19-8	1 - 5	
Ethyl alcohol	64-17-5	0.1 - 1	

*The exact percentage (concentration) of composition has been withheld as a trade secret

4. FIRST AID MEASURES

First aid measures for different exposure routes

General advice

Get medical attention immediately if symptoms occur.

Eye contact

Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

Skin contact

Wash skin with soap and water.

Toxic - Inhalation

Move to fresh air.

Ingestion

Clean mouth with water and drink afterwards plenty of water. If symptoms persist, call a physician.

Protection of First-aiders Use personal protective equipment.

Most important symptoms/effects, acute and delayed

Main Symptoms None under normal use conditions.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media None.

Specific hazards arising from the chemical

None known.

Hazardous Combustion Products Not applicable.

Explosion Data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with the skin and the eyes.

Advice for emergency responders For personal protection see section 8.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and materials for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Clean contaminated surface thoroughly. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children.

Packaging material Keep consumer product in packaging product is initially sold in.

Incompatible products None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethyl alcohol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m ³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m ³

NIOSH IDLH: Immediately Dangerous to Life or Health

Appropriate engineering controls

Engineering Measures Showers
Eyewash stations
Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Safety glasses with side-shields.

Skin and body protection No special protective equipment required.

Respiratory protection No special protective equipment required. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and chemical properties

Physical state	liquid	Odor	Characteristic
Appearance	Clear Liquid	Odor threshold	No information available
Color	Near colorless to pale yellow		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	11.000	
Melting point	No information available	
Boiling point/boiling range	No information available	
Flash Point	No information available	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limits in Air		
Upper Flammability Limit	No information available	
Lower Flammability Limit	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Specific Gravity	1.055	
Water solubility	Soluble in water	
Solubility in other solvents	No information available	
Partition coefficient: n-octanol/water	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Viscosity, kinematic	No information available	
Viscosity, dynamic	300 mPa s	

Explosive properties No information available
Oxidizing Properties No information available

Other information

Softening point No information available
Molecular weight No information available
VOC Content(%) No information available
Density No information available
Bulk Density No information available

10. STABILITY AND REACTIVITY

Reactivity
Not expected

Chemical stability
Stable under recommended storage conditions.

Possibility of hazardous reactions
None under normal processing.

Hazardous Polymerization None under normal processing.

Conditions to Avoid
Extremes of temperature and direct sunlight.

Incompatible Materials
None known.

Hazardous Decomposition Products
None known.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Toxic - Inhalation Not an expected route of exposure.
Eye contact Irritating to eyes.
Skin contact May cause irritation.
Ingestion May be harmful if swallowed.

Component Information

Information on toxicological effects

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No known effect.
Eye damage/irritation No known effect.
Sensitization No known effect.
Germ cell mutagenicity No known effect.
Carcinogenicity Ethanol has been shown to be carcinogenic in long-term studies only when consumed as alcoholic beverage.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethyl alcohol 64-17-5	A3	Group 1	Known	X

ACGIH: (American Conference of Governmental Industrial Hygienists)
 A3 - Animal Carcinogen
 IARC: (International Agency for Research on Cancer)
 Group 1 - Carcinogenic to Humans
 NTP: (National Toxicity Program)
 Known - Known Carcinogen
 OSHA: (Occupational Safety & Health Administration)
 X - Present

Reproductive toxicity No known effect.
Developmental Toxicity No known effect.
STOT - single exposure No known effect.
STOT - repeated exposure No known effect.
Chronic toxicity Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage.
Aspiration hazard No known effect.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) 17920 mg/kg
ATEmix (dermal) 21267 mg/kg

12. ECOLOGICAL INFORMATION

Ecotoxicity

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

Chemical Name	Partition coefficient
Sodium carbonate 497-19-8	-
Ethyl alcohol 64-17-5	-0.32

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging Do not re-use empty containers.

California Hazardous Waste Codes

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
Sodium carbonate 497-19-8	Corrosive
Ethyl alcohol 64-17-5	Toxic Ignitable

14. TRANSPORT INFORMATION

<u>DOT</u>	Not regulated
<u>TDG</u>	Not regulated
<u>MEX</u>	Not regulated
<u>ICAO</u>	Not regulated
<u>IATA</u>	Not regulated
<u>IMDG</u>	Not regulated
<u>RID</u>	Not regulated
<u>ADR</u>	Not regulated
<u>ADN</u>	Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA	-
DSL/NDSL	-
EINECS/ELINCS	-
ENCS	-
IECSC	-
KECL	-
PICCS	-
AICS	-

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive

Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

Chemical Name	California Prop. 65
Ethyl alcohol - 64-17-5	Carcinogen Developmental

Chronic toxicity Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5			X
Ethyl alcohol 64-17-5	X	X	X
Sodium Sulfate 7757-82-6		X	X

U.S. EPA Label information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION

NFPA	Health hazard 1	Flammability 0	Instability 0	Physical and chemical hazards -
HMIS	Health hazard 1	Flammability 0	Physical Hazard 0	Personal protection X

Issuing date 15-Apr-2015
Revision Date 08-Nov-2017

Revision Note
No information available

Disclaimer

This (M)SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by our company to be dependable and is accurate to the best of the Company's knowledge. It is not meant to be an all-inclusive document on worldwide hazard communication regulations.

This information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment. We assume no responsibility for injury to the recipient or third persons or for any damage to any property resulting from misuse of the product.

End of Material Safety Data Sheet