according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® CLEAN & DUST MULTI-SURFACE - RAINSHOWER™

Version 1.0 Print Date 01/17/2011

Revision Date 09/22/2010 MSDS Number 350000015795

SITE_FORM Number

3000000000000011926.001

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Trade name : PLEDGE® CLEAN & DUST MULTI-SURFACE -

RAINSHOWER™

Use of the

: Hard Surface Cleaner

Substance/Mixture

Company : S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

Emergency telephone

number

24 Hour Transport & Medical Emergency Phone (866) 231-

5406

24 Hour International Emergency Phone (952) 852-4647

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance / Odor : clear / aerosol / pleasant

Immediate Concerns : Caution

Keep away from heat, sparks and flame.

Contents under pressure.

Do not puncture or incinerate.

Do not store at temperatures above 120 Deg. F (50 Deg C), as

container may burst.

Potential Health Effects

Exposure routes : Eye, Skin, Inhalation, Ingestion.

Eyes : None known.

Skin : None known.

Inhalation : No adverse effects expected when used as directed.

Ingestion : May cause abdominal discomfort.

Aggravated Medical

Condition

: None known.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® CLEAN & DUST MULTI-SURFACE - RAINSHOWER™

Version 1.0 Print Date 01/17/2011

Revision Date 09/22/2010 MSDS Number 350000015795

SITE_FORM Number

3000000000000011926.001

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by OSHA 29 CFR 1910.1200 or the Canadian Controlled Products Regulations are listed in this table:

Chemical Name	CAS-No.	Weight percent
Ethyl alcohol	64-17-5	1.00 - 5.00

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact : Rinse with plenty of water. Get medical attention if irritation

develops and persists.

Skin contact : Rinse with plenty of water.

Inhalation : Remove to fresh air. If breathing is affected, get medical

attention.

Ingestion : If swallowed, DO NOT induce vomiting unless directed to do so

by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention immediately.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during fire

fighting

: Aerosol Product - Containers may rocket or explode in heat of

TIFE.

Further information : Fight fire from maximum distance or protected area. Although

this product has a flash point below 200 Deg F, it is an aqueous solution containing an alcohol and does not sustain combustion. Cool and use caution when approaching or handling fire-exposed containers. Wear full protective clothing and positive pressure self-contained breathing apparatus.

Flash point : 64 °C

147.2 °F

Method: Tag Closed Cup (TCC)

Lower explosion limit : Note: no data available

2/8

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® CLEAN & DUST MULTI-SURFACE - RAINSHOWER™

Print Date 01/17/2011 Version 1.0

Revision Date 09/22/2010 MSDS Number 350000015795

SITE FORM Number

3000000000000011926.001

Upper explosion limit : Note: no data available

NFPA Classification : NFPA Level 1 Aerosol

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Remove all sources of ignition.

Wear personal protective equipment.

Outside of normal use, avoid release to the environment. **Environmental precautions**

If damage occurs to aerosol can: Methods for cleaning up

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13). Use only non-sparking equipment. Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Advice on safe handling Do not puncture or incinerate.

Avoid breathing vapors, mist or gas.

Do not spray toward face.

Do not use in areas without adequate ventilation.

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection against fire and explosion

Keep away from heat and sources of ignition.

Storage

Requirements for storage

areas and containers

Do not store at temperatures above 120 Deg. F (50 Deg C), as

container may burst.

Keep in a dry, cool and well-ventilated place.

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® CLEAN & DUST MULTI-SURFACE - RAINSHOWER™

Version 1.0 Print Date 01/17/2011

Revision Date 09/22/2010 MSDS Number 350000015795 SITE_FORM Number

30000000000000011926.001

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Ethyl alcohol	64-17-5	1,900 mg/m3	1,000 ppm	-	OSHA TWA
Ethyl alcohol	64-17-5	-	1,000 ppm	-	ACGIH STEL

Personal protective equipment

Respiratory protection

Industrial setting : No personal respiratory protective equipment normally

required.

Household setting : No special requirements.

Hand protection : No special requirements.

Eye protection

Industrial setting : No special requirements.

Household setting : No special requirements.

Skin and body protection: No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : aerosol

Color : clear

Odor : pleasant

pH : 6.0 - 7.0

at 20 °C

Boiling point : no data available

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® CLEAN & DUST MULTI-SURFACE - RAINSHOWER™

Print Date 01/17/2011 Version 1.0

Revision Date 09/22/2010 MSDS Number 350000015795

SITE_FORM Number 3000000000000011926.001

Freezing point : no data available

64 °C Flash point

147.2 °F

Method: Tag Closed Cup (TCC)

Evaporation rate : no data available

Flammability (solid, gas) Does not sustain combustion.

Autoignition temperature no data available

Lower explosion limit no data available

Upper explosion limit no data available

Vapour pressure similar to water

Density 0.99 g/cm3

at 20 °C

Water solubility completely soluble

Viscosity, dynamic similar to water

(California Air Resource

Board – CARB) Total VOC (wt. %)

Volatile Organic Compounds : 1.9 % - does not include any applicable regulatory

exemptions

10. STABILITY AND REACTIVITY

Conditions to avoid Heat, flames and sparks.

Materials to avoid Strong oxidizing agents

Hazardous decomposition

products

Thermal decomposition can lead to release of irritating gases

and vapours.

Hazardous reactions : Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

: LD50 Acute oral toxicity

Calculated > 5,000 mg/kg

5/8

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® CLEAN & DUST MULTI-SURFACE - RAINSHOWER™

Version 1.0 Print Date 01/17/2011

Revision Date 09/22/2010 MSDS Number 350000015795

SITE_FORM Number

3000000000000011926.001

Acute inhalation toxicity : No adverse effects expected when used as directed.

Acute dermal toxicity : LD50

Calculated > 2,000 mg/kg

Chronic effects

Carcinogenicity : no data available

Mutagenicity : no data available

Reproductive effects : no data available

Teratogenicity : no data available

Sensitisation : Substance is not a sensitizer.

12. ECOLOGICAL INFORMATION

Ecotoxicity effects : no data available

13. DISPOSAL CONSIDERATIONS

Observe all applicable Federal, Provincial and State regulations and Local/Municipal ordinances regarding

disposal.

Consumer may discard empty container in trash, or recycle

where facilities exist.

14. TRANSPORT INFORMATION

Land transport

U.S. DOT and Canadian TDG Surface Transportation:

Proper shipping name UN 1950 AEROSOLS, non-flammable, 2.2

Class: 2.2 UN number 1950 Packaging group: None.

Note: SC Johnson ships this product as Consumer Commodity ORM-D

6/8

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® CLEAN & DUST MULTI-SURFACE - RAINSHOWER™

Version 1.0 Print Date 01/17/2011

Revision Date 09/22/2010 MSDS Number 350000015795

SITE_FORM Number

3000000000000011926.001

(non-bulk packages)

Sea transport

IMDG:

Proper shipping name UN 1950 AEROSOLS, non-flammable, 2.2

Class: 2
UN number: 1950
Packaging group: None.
EmS: F-D, S-U

Note: Limited quantities derogation may be applicable to this product,

please check transport documents.

Air transport

ICAO/IATA:

Proper shipping name UN 1950 AEROSOLS, non-flammable, 2.2

Class: 2.2

UN/ID No.: UN 1950 Packaging group: None.

Note: SC Johnson typically does not ship products via air, therefore it has

not been determined if the product container meets current

IATA/ICAO package criteria. Refer to IATA/ICAO Dangerous Goods Regulations for detailed instructions when shipping this item by air.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under

California's Proposition 65.

Canada Regulations : This product has been classified in accordance with hazard

criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products

Regulations.

16. OTHER INFORMATION

ŀ	1	MIS	Ratings
	-		

Health 0

according to ANSI Z400.1- 2004 and 29 CFR 1910.1200



PLEDGE® CLEAN & DUST MULTI-SURFACE - RAINSHOWER™

Version 1.0 Print Date 01/17/2011

Revision Date 09/22/2010

MSDS Number 350000015795 SITE_FORM Number 300000000000000011926.001

Flammability	2	
Reactivity	0	
NFPA Ratings		
Health	0	
Fire	1	
Reactivity	0	
Special		

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by:	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)