MATERIAL SAFETY DATA SHEET

Strombecker Corporatiion

TOOTSIETOY BUBBLES

****
SECTION I - PRODUCT IDENTIFICATION AND EMERGENCY INFORMATION
****

PRODUCT NAME: TOOTSIETOY BUBBLES

PRODUCT DESCRIPTION: Proprietary blend.

EMERGENCY PHONE NUMBER: CHEMTREC (800) 424-9300 (24 HOURS)

HAZARD RATING: Toxicity = 1; Fire = 0; Reactivity = 0. (Scale: 4 = Extreme; 3 = High; 2 = Moderate; 1 = Slight; 0 = Insignificant)

****
SECTION II - HAZARDOUS INGREDIENT INFORMATION
****

The composition of this mixture is proprietary information. In the event of a medical emergency, contact a poison control center. This product is not hazardous as defined in 29CFR1910.1200.

****
SECTION III - HEALTH INFORMATION AND PROTECTION
****

NATURE OF HAZARD & FIRST AID

EYE CONTACT: Slightly irritating but does not injure eye tissue. Flush eyes with large amounts of water until irritation subsides. If irritation persists, get medical attention.
SKIN CONTACT: Prolonged contact can cause slight irritation. Wash affected skin thoroughly with soap and water. If irritation persists, get medical attention.
INHALATION: Inhalation of vapor or mist can cause headache, nausea, or irritation of the nose, throat, and lungs. Avoid breathing vapors or mists. If exposure, move the affected victim to fresh air.
INGESTION: If ingested, administer water to drink. Consult a physician. Never give anything by mouth to an unconscious person.

WORKPLACE EXPOSURE LIMITS

No workplace exposure limits have been established, or are not required, for this product.

PERSONAL PROTECTION

RESPIRATORY PROTECTION: Where vapor or mists may occur, wear a OSHA/NIOSH approved air-purifying respiratory. No respirator is required under normal operating conditions. Use product under adequate ventilation.
EYE PROTECTION: Use approved chemical splash goggles (ANSI Z87.1 or equivalent).
SKIN PROTECTION: Use neoprene or butyl rubber gloves for skin protection.

****
SECTION IV - FIRE & EXPLOSION HAZARD
****

FLASHPOINT: Not combustible.
FLAMMABILITY LIMITS: Not applicable.
AUTOIGNITION TEMPERATURE: Not applicable.
GENERAL HAZARD: Very low Hazard. Avoid temperatures above 350 deg. F. to avoid decomposition. Material can spatter above 212 deg. F.
FIRE FIGHTING: Use extinguishing media appropriate for surrounding fire. As in any fire, wear self-contained breathing apparatus and full protective gear.
HAZARDOUS COMBUSTION PRODUCTS: None known.

****
SECTION V - REACTIVITY DATA
****

This product is stable and hazardous polymerization will not occur.

CONDITIONS TO AVOID INSTABILITY: Product is stable. Avoid temperatures above 350 deg. F.
CONDITIONS TO AVOID HAZARDOUS POLYMERIZATION: None.
MATERIALS & CONDITIONS TO AVOID INCOMPATIBILITY: Strong oxidizing agents.
HAZARDOUS DECOMPOSITION PRODUCTS: Not applicable.

****
SECTION VI - SPILL CONTROL PROCEDURE
****

Prevent additional discharge of material, if possible to do so without hazard. For small spills implement cleanup procedures; for large spills implement cleanup procedures and, if in public area, keep public away and advise authorities. Also, if this product is subject to CERCLA reporting (see Section VII) notify the National Response Center.

Prevent liquid from entering sewers, water courses, or low areas. Contain spilled liquid with sand or earth. Recover by pumping or with a suitable absorbent. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

STORAGE & HANDLING: All storage tank, lines, and fittings should be clean and free of rust to minimize product contamination. Product poses no electrostatic accumulation hazard, but use proper grounding procedure. Store material between 34 and 120 deg. F. and at atmospheric pressure. Do not store near strong bases.

****
SECTION VII - REGULATORY INFORMATION
****

ORAL LD_{50} Greater than 5.0 grams/kg.

DOT Hazard Class: Non Regulated.
TSCA: Components of this product are listed on the TSCA Inventory.
CERCLA: If this product is accidentally spilled, it is not subject to any special reporting under the requirements of the Comprehensive Environmental Response, Compensation, & Liability Act. We recommend you contact local authorities to determine if there may be other local reporting requirements.
SARA TITLE III: This product is not a hazardous chemical under 29CFR1910.1200 and is not covered under Title III of SARA. This product does not contain Section 313 Reportable Ingredients.

STROMBECKER CORPORATION
600 N. Pulaski Road, Chicago, Illinois 60624

MATERIAL SAFETY DATA SHEET - TOOTSIETOY BUBBLES

****
SECTION VIII - PHYSICAL & CHEMICAL PROPERTIES
****

Specific Gravity (@ F): 1.00 @ 60 deg.F (typical value)
Vapor Pressure (mm Hg @ F): 17 mm Hg @ 68 deg. F.

Solubility in Water: Fully soluble.
Melting Point/Range (C): 0 deg. C. (Water)
Evaporation Rate (n-Bu Acetate = 1): < 1 (Water)
Boiling Point/Range (C): 100 deg. C. (Water)
Viscosity: 100 - 400 cps.

The information on this data sheet is based on data that Strombecker Corporation believes to be reliable. Since conditions of use are outside of our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information. It is the responsibility of employers to inform their employees of possible chemical hazards in the work place.

Prepared by: _____ Date: March 1,2003

STROMBECKER CORPORATION
600 N. Pulaski Road, Chicago, Illinois 60624